UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.: 6,900,545 B1

DATED: May 31, 2005

INVENTOR(S): Sebesta et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Under Foreign Patent Documents on page 1
Line 8, delete "100093215 A" and insert -10093215 A-

Column 10
Line 61, delete "and"
Lines 64 and 65, delete "substrate" and insert —circuit line—

Column 11
Line 12 delete "and"
Line 18, delete "substrate" and insert --circuit line--

Column 12 Line 25, delete "and"

MAILING ADDRESS OF SENDER (Please do not use customer number

PATENT NO. 6,900,545 B1

Jack P. Friedman, Ph.D. Reg. No. 44,688 Schmeiser, Olsen & Watts 3 Lear Jet Lane, Suite 201

Latham, NY 12110

No. of additional copies

DEC 1 2 2005

SPE RESPONSE F	OR CERTIFICATE OF CORRECTION						
: 12/17/05	Paper No.:						
O SPE OF : ART UNIT 2813	•						
SUBJECT : Request for Certificate of Co	: Request for Certificate of Correction on Patent No.: 09/526957 6900545						
response is requested with respect to th	e accompanying request for a certificate of correction.						
f response is for an IFW, return to en MADRAS.	with file, within 7 days to: orrection Branch – South Tower – 9A22 nployee (named below) via PUBSCofC Team in correcting Office and/or Applicant's errors, should the						
f response is for an IFW, return to en MADRAS. With respect to the change(s) requested,	prrection Branch – South Tower – 9A22 Inployee (named below) via PUBSCofC Team in Correcting Office and/or Applicant's errors, should the Correction (COCIN)? No new matter should be introduced, no changed. Angela Green						
f response is for an IFW, return to en MADRAS. Nith respect to the change(s) requested, patent read as shown in the certificate of chould the scope or meaning of the claims be a	orrection Branch – South Tower – 9A22 Inployee (named below) via PUBSCofC Team in correcting Office and/or Applicant's errors, should the correction (COCIN)? No new matter should be introduced, no changed.						
f response is for an IFW, return to en MADRAS. Nith respect to the change(s) requested, patent read as shown in the certificate of chould the scope or meaning of the claims be a	orrection Branch – South Tower – 9A22 Inployee (named below) via PUBSCofC Team in correcting Office and/or Applicant's errors, should the correction (COCIN)? No new matter should be introduced, no changed. Angela Green Certificates of Correction Branch Tel. No. 703-305-9380 ext. 123						
f response is for an IFW, return to en MADRAS. Nith respect to the change(s) requested, patent read as shown in the certificate of chould the scope or meaning of the claims be chank You For Your Assistance The request for issuing the above-ic	orrection Branch – South Tower – 9A22 Inployee (named below) via PUBSCofC Team in correcting Office and/or Applicant's errors, should the correction (COCIN)? No new matter should be introduced, no changed. Angela Green Certificates of Correction Branch Tel. No. 703-305-9380 ext. 123						
f response is for an IFW, return to en MADRAS. Nith respect to the change(s) requested, patent read as shown in the certificate of chould the scope or meaning of the claims be chank You For Your Assistance The request for issuing the above-ic lote your decision on the appropriate box.	nployee (named below) via PUBSCofC Team in correcting Office and/or Applicant's errors, should the correction (COCIN)? No new matter should be introduced, no changed. Angela Green Certificates of Correction Branch Tel. No. 703-305-9380 ext. 123						

APPLOVE	Jelet	ion of	word	and, " but	d. 59f	proves
de le tion	o F	word	Substrate	11 5 cause		change J
Scope	oF.	cleson,		·		
						

7813

PTOL-306 (REV. 1403)